

# MANDALAY WHITE MATT RECT

# 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A037200** 60x120 10,40 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality UNE-EN 14411 It accomplished all requeriments

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	$=> 50 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	

#### ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C 0.00









# MANDALAY WHITE POL RECT

# 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A039185** 60x120 10,20 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

It accomplished all requeriments

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	$=>35 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









# **ROD. MANDALAY WHITE 7,5X60**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A027097** 7,5x60 10,10 PC BIA GL

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **ROD. MANDALAY WHITE POL 7,5X60**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A038365 PC BIA GL 7,5x60 10,10

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

EN ISO 10545-12 Frost resistance It stands the test









# PELDAÑO RECTO MANDALAY

# 33X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A027569** 33x120 32,60 EXTRUSI



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

It accomplished all requeriments

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	=1.5%
Flexion resistance	EN ISO 10545-04	$=> 30 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	

#### ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd) UNE-EN 16165-C 0.00









# ZANQUIN RECTO MANDALAY WHITE 7,5X60

REFERENCE

SIZE (cm)

THICKNESS (mm)

GROUP

A039465

7,5x60

9,70 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12

It stands the test










# LAVABO NISO IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040865** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO NISO DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040866** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO DE PIE ROMA

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040867** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040868** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040869** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040870** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# **LAVABO AXEL DOBLE 160**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040871** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO ENEA IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040872** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










## LAVABO ENEA DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040873** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










## LAVABO ENEA CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040874** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# **LAVABO ENEA DOBLE 160**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040875** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test





