

### SILVER PEARL MATT 60X60

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A036621	60X60	8,60	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICA	PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%	
Flexion resistance	EN ISO 10545-04	=> 35 N/mm <sup>2</sup>	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GLB	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	

#### ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd)

UNE-EN 16165-C

0.00







### **SILVER PEARL MATT 25X75**

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP	XIQ -SAX
A035921	25X75	8,20	REVESTI	

DIMENSIONS AND S	URFACE PROPERTIES	
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments
PHYSICAL	PROPERTIES	
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	=>12 N/mm <sup>2</sup>
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test
CHEMICAL	PROPERTIES	
Resistance to acids	EN ISO 10545-13	GHA
Resistance to alcalis	EN ISO 10545-13	GLA
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5







## **TUNDRA PEARL MATT 25X75**

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP	
A035922	25X75	9,30	REVESTI	

DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL	PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%	
Flexion resistance	EN ISO 10545-04	=>12 N/mm <sup>2</sup>	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	Not pass the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	







# **DECOR SET(2) CALATHEA PEARL**

9,30

### 25X75

REFERENCE A036484

SIZE (cm) 25X75

THICKNESS (mm)

### DIMENSIONS AND SURFACE PROPERTIES

GROUP

REVESTI

**PHYSICAL PROPERTIES** 

EN ISO 10545-12

Not pass the test

**CHEMICAL PROPERTIES** 





Frost resistance



## **ZOCALO ROYALE PEARL 20X25**

REFERENCE	SIZE (cm)
A036483	20X25

Frost resistance

THICKNESS (mm) GROUP 18,40 REVESTI

### DIMENSIONS AND SURFACE PROPERTIES

**PHYSICAL PROPERTIES** 

Not pass the test

CHEMICAL PROPERTIES

EN ISO 10545-12







### **CENEFA ROYALE PEARL 10X25**

REFERENCE	
A036481	

17,90

SIZE (cm)

10X25

THICKNESS (mm) GROUP REVESTI

### DIMENSIONS AND SURFACE PROPERTIES

**PHYSICAL PROPERTIES** 

EN ISO 10545-12

Not pass the test

**CHEMICAL PROPERTIES** 





Frost resistance



### **CENEFA EMILIA PEARL 9X25**

SIZE (cm)

9X25

REFERENCE	
A036530	

0,00

THICKNESS (mm) GROUP REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

EN ISO 10545-12

Not pass the test

**CHEMICAL PROPERTIES** 





Frost resistance



## **MOLDURA ROYALE PEARL 5X25**

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP	
A036482	5X25	0,00	REVESTI	

#### DIMENSIONS AND SURFACE PROPERTIES

**PHYSICAL PROPERTIES** 

Frost resistance

EN ISO 10545-12

Not pass the test

**CHEMICAL PROPERTIES** 



