

# STATUARY VENATO MATT RECT

# 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A035030** 60x120 10,50 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

It accomplished all requeriments

	PHYSICAL PROPERTIES	
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	$=>40 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL F	PROPERTIES	
Resistance to acids	EN ISO 10545-13	GA
Resistance to alcalis	EN ISO 10545-13	GA
Resistance to cleaning products	EN ISO 10545-13	0.00
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

#### **ANTI-SLIP CHARACTERISTICS**









# STATUARY VENATO POL RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A035029** 60x120 10,10 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality UNE-EN 14411 It accomplished all requeriments

	PHYSICAL PROPERTIES	
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	$=>40 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL	PROPERTIES	
Resistance to acids	EN ISO 10545-13	GA
Resistance to alcalis	EN ISO 10545-13	GA
Resistance to cleaning products	EN ISO 10545-13	0.00
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

#### ANTI-SLIP CHARACTERISTICS









# DECOR SET(2) SAUVAGE POL 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A035035** 60x120 10,60 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

0.00

	PHYSICAL PROPERTIES	
Water absorption capacity	EN ISO 10545-03	0.00
Flexion resistance	EN ISO 10545-04	$0.00^{2}$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	0.00
Thermal shock resistance	EN ISO 10545-09	0.00
Cracking resistance	EN ISO 10545-11	0.00
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICA	L PROPERTIES	
Resistance to acids	EN ISO 10545-13	0.00
Resistance to alcalis	EN ISO 10545-13	0.00
Resistance to cleaning products	EN ISO 10545-13	0.00
Resistance to chemical products in swimming pool water	EN ISO 10545-13	0.00
Stains resistance	EN ISO 10545-14	0.00

#### **ANTI-SLIP CHARACTERISTICS**









# STATUARY VENATO POL RECT 60X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A035031** 60X60 9,70 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality UNE-EN 14411 It accomplished all requeriments

PHY	SICAL PROPERTIES	
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	$=> 40 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICA	AL PROPERTIES	
Resistance to acids	EN ISO 10545-13	GA
Resistance to alcalis	EN ISO 10545-13	GA
Resistance to cleaning products	EN ISO 10545-13	0.00
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

#### **ANTI-SLIP CHARACTERISTICS**









## **ROD. STATUARY VENATO MATT**

# 7,5X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A035790** 7,5x60 10,30 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

0.00

	PHYSICAL PROPERTIES	
Water absorption capacity	EN ISO 10545-03	0.00
Flexion resistance	EN ISO 10545-04	$0.00^2$
Thermal shock resistance	EN ISO 10545-09	0.00
Cracking resistance	EN ISO 10545-11	0.00
Frost resistance	EN ISO 10545-12	It stands the test

CHEMIC	CAL PROPERTIES	
Resistance to acids	EN ISO 10545-13	0.00
Resistance to alcalis	EN ISO 10545-13	0.00
Resistance to cleaning products	EN ISO 10545-13	0.00
Resistance to chemical products in swimming pool water	EN ISO 10545-13	0.00
Stains resistance	EN ISO 10545-14	0.00









# **ROD. STATUARY VENATO POL**

# 7,5X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A037389** 7,5x60 10,30 PC BIA GL

#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

0.00

F	PHYSICAL PROPERTIES	
Water absorption capacity	EN ISO 10545-03	0.00
Flexion resistance	EN ISO 10545-04	$0.00^2$
Thermal shock resistance	EN ISO 10545-09	0.00
Cracking resistance	EN ISO 10545-11	0.00
Frost resistance	EN ISO 10545-12	It stands the test

0.00
0.00
0.00
0.00
0.00










# LAVABO NISO IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040865** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO NISO DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040866** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO DE PIE ROMA

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040867** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040868** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040869** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040870** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# **LAVABO AXEL DOBLE 160**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040871** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO ENEA IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040872** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










## LAVABO ENEA DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040873** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










## LAVABO ENEA CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040874** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# **LAVABO ENEA DOBLE 160**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040875** 0,00 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test





